

Digital Combination Locks - Compared



Horizon (Model 3950)



Nimbus (Model 3960)



Zenith (Model 3780)



Gemini (Model 3700)

Case Material	Zinc Alloy	Zinc Alloy	Zinc Alloy	Zinc Alloy
Key Pad Style	Tactile Membrane	Tactile Membrane	10 Push Button Keypad	Rubber Push Button keypad
Colours	Black, White	Black, White, Silver	Black, White, Silver	Black, White, Silver
Mounting Orientation	Vertical and Horizontal (L&R) Numbers rotated to orientation	Vertical and Horizontal (L&R) Numbers rotated to orientation	Vertical and Horizontal (L&R) Numbers rotated to orientation	Vertical and Horizontal (L&R) Numbers rotated to orientation
Mounting Options	Surface Mount, Flush Mount	Surface Mount, Semi-Flush Fit	Surface Mount, Flush Mount (Model 3784)	Surface Mount, Flush Mount
Fixing/ Opening Sides	Left or Right, pop out handle	Left 90° or Right 90°	Left 90° or Right 90°	Left 90° or Right 90°
Steel/ Mechanical Override Key	✓	✓	✓	✓
Fixing Points	2, one nut, one screw	2 or 3	2 or 3	2



Horizon (Model 3950)



Nimbus (Model 3960)



Zenith (Model 3780)



Gemini (Model 3700)

Slamlock Option	⊗	✓ (Model 2383)	✓ (Model 2382/2383)	⊗
LED Indicator	Yes, central array between buttons	Yes, around Logo Button	Yes, central array between buttons	✓
Audible Keypad	✓	Optional	✓	⊗
Audio on/off	✓	✓	✓	⊗
Battery Requirements	1 x CR123 Lithium Battery	2 x AAA batteries	2 x AA batteries	1 1/2 AA 3.6V battery
Typical Battery Life	Up to 50,000 uses per pair of batteries	Up to 50,000 uses per pair of batteries	Up to 50,000 uses per pair of batteries	Up to 50,000 uses per battery
Battery Condition Indicator	✓	✓	✓	✓
Real Time Clock Version	✓ (Model 3951)	⊗	⊗	⊗
Wet Area Version	⊗	✓ (Model 3951)	✓ (Model 3781)	⊗
Wet Area Rating	⊗	IP65	IP65	⊗
Public Mode	✓	✓	✓	✓
Public Mode User Code	4 Digit ✓	✓	✓	✓
	6 Digit ⊗	✓ (Model 3963/ 3964)	⊗	⊗



Horizon (Model 3950)



Nimbus (Model 3960)



Zenith (Model 3780)



Gemini (Model 3700)

Private Mode		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Private Mode User Code	4 Digit	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	6 Digit	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Unsuccessful Code Lock Out		<input checked="" type="checkbox"/> (Model 3951)	<input checked="" type="checkbox"/> (Model 3963/3964)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Auto Unlock Mode	Timer	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> (Model 3960)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	Set Timer	1, 10, 30, 60, 8hrs, 12 hrs, 16hrs 39 minutes maximum)	1, 10, 30, 60, 8hrs, 12 hrs, 16hrs 39 minutes maximum)	1, 10, 30, 60, 8hrs, 12 hrs, 16hrs 39 minutes maximum)	1, 10, 30, 60, 8hrs, 12 hrs, 16hrs 39 minutes maximum)
	Specific Time	<input checked="" type="checkbox"/> (Model 3951)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Auto Code Cancel	Timer	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	Set Timer	1, 10, 30, 60, 8hrs, 12 hrs, 16hrs 39 minutes maximum)	<input checked="" type="checkbox"/>	1, 10, 30, 60, 8hrs, 12 hrs, 16hrs 39 minutes maximum)	1, 10, 30, 60, 8hrs, 12 hrs, 16hrs 39 minutes maximum)
	Specific Time	<input checked="" type="checkbox"/> (Model 3951)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
RFID Version		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> (Model 3963/3964)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
RFID Version for Wet Area		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> (Model 3964)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



Horizon (Model 3950)



Nimbus (Model 3960)



Zenith (Model 3780)



Gemini (Model 3700)

RFID Standards	N/A	ISO14443A	N/A	N/A
RFID Protocols	N/A	Legic-Advant Mifare	N/A	N/A
RAS Mode	✓	✓	✓	✓
ADA/DDA Compliant	✓	✗	✓ (Model 3782)	✗



Lowe & Fletcher Ltd (UK)

E: sales@lowe-and-fletcher.co.uk

T: +44 (0) 121 505 0400

W: www.lowe-and-fletcher.co.uk